



## Negative Ion Powder For Activated Water, Paint, Health Care & Plastic

[Five unique merits] Eradiate FIR (far infrared ray) with 4~14 $\mu$ m wavelength; Give birth to 150~5000p/cm<sup>3</sup> anion; Electrolyze to bring activated water presented alkalescence; Restrain bacteria and eliminate odor; Release various mineral microelements.

### Negative Ion Powder, Type A (For paint, oil paint, air conditioner and electric fan)



[Average granule diameter] >18 $\mu$ m (700item)

[Color] white

[Anion number] 2000~2500p/cm<sup>3</sup>

[Functions] Adding negative ion powder, type A in dope, it can be used for interior wall, ceiling, wallpaper and floor, etc. Adsorb odor of oil paint, latex, dope and lampblack, etc. Refresh air for air conditioner and electric fan, etc.

[Application] For dope, oil paint, wallpaper, wall cloth, ground tile, air conditioner and electric fan, etc.

Notice:

After tourmaline powder is applied and made into daily supplies, the number of original minus ion in compound products must be largely reduced. In order to ensure the validity and security of using negative ion powder article, we suggest the following additive amount of minus ion powder in making article and yield of minus ion powder in compound article:

1. Making products next to or close to the skin, such as clothes worn next to the skin, article, furniture and sanitarian material, etc, the additive amount of minus ion powder is 3~4% (spinning is 3%, dope is 3~4%). After being made into compound article, the yield of minus ion powder is 150~300ion/cm<sup>3</sup>.

2. Making products less touched or untouched the skin, such as oil paint, dope, ceramic tile, curtain and wallpaper, etc., the additive amount of minus ion powder is 10~15%. After being made into compound article, the yield of minus ion powder is 700~1000ion/cm<sup>3</sup>.

3. Making protective material, socks, shoe pads, seated utensil and fitting equipment, etc for medical treatment and sanitarian article, the additive or extrusive amount of minus ion powder is 30%. After being made into compound article, the yield of minus ion powder is 150~2000ion/cm<sup>3</sup>.